

Nox-Crete Blast Off Concrete Removal

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), (AU) WHS Regulations

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form Mixture
Trade Name Nox-Crete Blast Off Concrete Removal
Product Code NOXBLAST20

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer

Supplier

NOX-CRETE MANUFACTURING INC

REID CONSTRUCTION SYSTEMS (TRADING AS RAMSETREID)

1444 SOUTH 20TH STREET
OMAHA, NE 68108
Tel: 402-341-2080
Fax: 402-341-9752
E-Mail: corporate@nox-crete.com
Web Site: www.nox-crete.com

1 RAMSET DRIVE
CHIRNSIDE PARK, VIC AUSTRALIA. 3116
Tel: 1300 780 250
EMERGENCY Tel: 13 11 26
E-Mail: sales@reid.com.au
Web Site: www.reid.com.au

23-29 POLAND ROAD
GLENFIELD, AUKLAND 0627, NEW ZEALAND
Tel: 0800 88 22 12
EMERGENCY Tel: 0800 764 766
E-Mail: sales@ramsetreid.co.nz
Web Site: www.reid.com.nz

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300
Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1B H314
Eye Dam. 1 H318

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Precautionary statements

Nox-Crete Blast Off Concrete Removal

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), (AU) WHS Regulations

Prevention:	P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash exposed area's thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response:	P301+P310 - IF SWALLOWED - Immediately call a POISON CENTER or doctor/physician P301+P330+P331 - IF SWALLOWED - Rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair) - Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. P304+P340 - IF INHALED - Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P310 - IF IN EYES - Immediately call a POISON CENTER or doctor/physician P305+P351+P338 - IF IN EYES - Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing. P363 - Wash contaminated clothing before reuse. P405 - Store locked up.
Storage:	
Disposal:	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards None known

Full text of R, H and EUH phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

Classification according to Regulations 29CFR 1910.1200 , (EC) No. 1272/2008(CLP)(GHS)

Name	Product identifier	%
Carboxolic Acid	Trade Secret	> 60
Dipropylene glycol monomethyl ether	Trade Secret	< 10
Surfactant	Trade Secret	< 10

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures

Nox-Crete Blast Off Concrete Removal

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), (AU) WHS Regulations

4.1 Description of first aid measures

First-aid measures general

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty In breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

First-aid measures after skin contact

If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.

First-aid measure after eye contact

When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation

May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

Symptoms/injuries after eye contact

May cause eye irritation or injury

Symptoms/injuries after ingestion

May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry chemical, foam carbon dioxide

Unsuitable extinguishing media

Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

Reactivity

Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Firefighting instructions

Use water spray or fog to cool exposed containers.

Protective equipment for firefighters

Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

Other information

On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures

Dike or impound spilled material. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup

6.11 Protective Equipment

Equip cleanup crew with proper protective equipment.

6.2 Environmental precautions

No data available

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth. Collect into vapor tight containers and dispose of properly.

Nox-Crete Blast Off Concrete Removal

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), (AU) WHS Regulations

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse.

Hygiene measures

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in accordance with local regulations. Store in original container in a cool well ventilated place. Keep containers tightly closed until ready for use. Keep from freezing.

Incompatible materials

Strong cyanides, alkalies, sulfides and oxidizing agents

Storage temperature

Prevent exposure to freezing temperatures.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States, 2/2010)
Carboxolic Acid	Not Established
Dipropylene glycol monomethyl ether	TWA 100ppm 8 Hours
Surfactant	TWA 10 mg/m3

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations below specified TLV

Eye and face protection

Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.

Skin protection

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.

Respiratory protection

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Red liquid
Odor	Slightly sweet
Odor Threshold	No data available
PH	No data available

Nox-Crete Blast Off Concrete Removal

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), (AU) WHS Regulations

Melting point	No data available
Freezing point	No data available
Boiling point	100 C (212 F)
Flash point	Not applicable
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	1.21 Kg per Liter 10.1 Lbs per Gallon
Solubility	Water: Complete
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Viscosity	No data available
VOC content	No data available

Section 10. Stability and reactivity

<u>10.1 Reactivity</u>	No additional information available
<u>10.2 Chemical stability</u>	Stable under normal conditions
<u>10.3 Possibility of hazardous reactions</u>	Hazardous polymerization will not occur.
<u>10.4 Conditions to avoid</u>	Extreme high or low temperatures. Avoid freezing
<u>10.5 Incompatible materials</u>	Strong cyanides, alkalies, sulfides and oxidizing agents
<u>10.6 Hazardous decomposition products</u>	No data available

Section 11. Toxicology information

<u>11.1 Information on toxicological effects</u>	
Acute toxicity	No adverse effects expected under intended use.
Irritation/Corrosion	
Skin	May cause skin irritation
Eyes	May cause serious eye irritation and damage.
Respiration or skin sensitization	May cause respiratory irritation
Germ cell mutagenicity	No data available
Carcinogenicity	No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC)
Reproductive toxicity	No data available
Specific target organ toxicity	
Single exposure	No data available
Repeated exposure	No data available
Aspiration hazard	No data available

Section 12. Ecological information

<u>12.1 Ecotoxicity</u>	No data available
<u>12.2 Persistence and degradability</u>	Readily biodegradable when tested in accordance with the OECD 301 /EPA OPPTS 835.3110 test protocols.
<u>12.3 Bioaccumulative potential</u>	No data available

Nox-Crete Blast Off Concrete Removal

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), (AU) WHS Regulations

12.4 Mobility in soil No data available

12.5 Other adverse effects No data available

SECTION 13. Disposal Considerations

13.1 Waste treatment methods The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

14.1 UN number UN3265

14.2 UN proper shipping name Corrosive Liquid, Acidic, Organic, N.O.S., (Carboxylic Acid)

14.3 Transport hazard class(es) 8

14.4 Packing group II

14.5 Environmental hazards No additional information available

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No additional information available

14.8 Transport in bulk according to CFR 49 173.15 Not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2 USA Regulations

TSCA All ingredients are listed or exempted

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

Section 16. Other information

Date of issue 12-8-2016
Version 2.5
Number 508-R
Date of previous issue 3-16-2016
Preparer Nox-Crete Manufacturing Inc.

Reference Documentation

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyer's risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and/or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Nox-Crete Blast Off Concrete Removal

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), (AU) WHS Regulations

Disclaimer

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

Full text of R, H and EUH phrases

Skin Corr. 1B - Skin corrosion, hazard category 1B H314
Eye Dam. 1 - Serious eye damage, hazard category 1 H318

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed area's thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - IF SWALLOWED - Immediately call a POISON CENTER or doctor/physician

P301+P330+P331 - IF SWALLOWED - Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair) - Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+P340 - IF INHALED - Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P310 - IF IN EYES - Immediately call a POISON CENTER or doctor/physician

P305+P351+P338 - IF IN EYES - Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.